




SKYLINE **SL55** INFINITY The HS Edition



ALUMINCO[®]
ALUMINIUM BUILDING SYSTEMS



The SL55 Infinity is a topnotch SKYLINE proposal for structures in absolute minimal design. All design elements strive to convey the message of simplicity, allowing for light, form, material, space, and nature to provide the very best of living conditions.

- > Minimal design with concealed, floor-to-ceiling and wall to-wall, frames
- > Impressive views and maximum light penetration
- > Exceptional thermal and acoustic insulation
- > Wide open spans maintain the sleek minimal look
- > Expanded range of tracks for on-floor, in-floor, or completely hidden installations, fulfil countless architectural desires
- > Designed handle and multi-point locking system
- > Enhanced Roller system that allows smooth sliding and operation, even for very large units
- > Ideally suited to luxury, residential and commercial, environments


TECHNICAL DATA

EXTERIOR AESTHETICS	Flat / Minimal
TRACK	Hidden Sash
FRAME DEPTH	150 mm
SASH DEPTH	55 mm
FACE HEIGHT (FLAT TRACK EDITION)	41 mm
VISIBLE ALUMINIUM FACE WIDTH (INTERLOCK)	25 mm
VISIBLE ALUMINIUM FACE WIDTH (MEETING STILE)	60 mm
MAXIMUM SASH SURFACE	up to 10 m ² per sash
MAXIMUM SASH WEIGHT	up to 400 Kg per sash
HARDWARE	ALUMINCO Multipoint locking, ALUMINCO Roller system
SEALING METHOD	Perimetrical, with 2-level of silicone treated weather strips
GLASS TYPE	Double/Triple
GLASS THICKNESSES	from 37.5 mm to 41.5 mm
TYPE OF THERMAL INSULATION	Polyamides 18 mm

CONFIGURATIONS

Sliding, Fixed, InWall, Meeting Stile, Corner

INTERLOCK
SECTION



HIDDEN SASH EDITION

